THE INSTITUTION
OF ELECTRICAL
ENGINEERS
IEE

IEE PROCEEDINGS-B

Electric Power Applications

Vol. 131, 1984

Published by
The IEE, Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

IEE Proceedings Part B

Electric Power Applications

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, England

Volume 131 1984 UK ISSN 0143–7038

HONORARY EDITORS

Prof. K.J. Binns, *University of Liverpool*
Prof. B. Mellitt, *University of Birmingham*

Pages in issues of *IEE Proceedings Part B*, 1984

Pages	Issue no.	Date
1–20	1	January
21–72	2	March
73–132	3	May
133–180	4	July
181–236	5	September
237–264	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7038/84 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1984: The Institution of Electrical Engineers:

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Assistant Editor*: Jane Glendening
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts.
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

Index

IEE Proceedings Part B
Electric Power Applications
Vol. 131, 1984

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the *IEE Proceedings*

Author index

A

Abdel Halim, I.A.M. Approximate equivalent circuit for small solid-rotor induction motors p70
Akhtar, Q.I.M.B. Analytic separation of the factors contributing to the eddy-current loss in magnetically nonlinear steel d37
Allan, J., Mellitt, B., and Pong, M.H. Rheostatic stabilisation of a chopper-controlled brake for traction drives p190
Ashen, R.A., and Bolton, H.R. see Bolton, H.R.
Avadhanlu, T.V. Evaluation and comparison of two types of induction-motor drives p105
Avery, C.R., and Crawshaw, G. Remote control of traction power over two wires p133

B

Bach, J.L., de Fornel, B., Hapiot, J.C., and Pietrzak-David, M. see de Fornel, B.
Belmans, R., Heylen, W., Vandenput, A., and Geysen, W. Influence of rotor-bar stiffness on the critical speed of an induction motor with an aluminium squirrel cage p203
Binns, K.J., and Wong, T.M. Analysis and performance of a high-field permanent-magnet synchronous machine p252
Biswas, S.K., Gopakumar, K., Sathiakumar, S., and Vithayathil, J. see Gopakumar, K.
Blake, R.J., Chappell, P.H., and Davis, R.M. see Chappell, P.H.
Blake, R.J., Chappell, P.H., and Ray, W.F. see Chappell, P.H.
Blake, R.J., Ray, W.F., Davis, R.M., Lawrenson, P.J., Stephenson, J.M., and Fulton, N.N. see Ray, W.F.
Bolton, H.R., and Ashen, R.A. Influence of motor design and feed-current waveform on torque ripple in brushless DC drives p82
Bowden, A.L., and Davies, E.J. Analytic separation of the factors contributing to the eddy-current loss in magnetically nonlinear steel d37
Bowes, S.R., and Bullough, R. Fast modelling techniques for microprocessor-based optimal pulse-width-modulated control of current-fed inverter drives p149
Bowes, S.R., and Bullough, R. PWM switching strategies for current-fed inverter drives p195
Bowes, S.R., and Bullough, R. Steady-state performance of current-fed pulse-width-modulated inverter drives p113
Bowes, S.R., and Clare, J. Steady-state performance of PWM inverter drives d231
Bradwell, A. Importance of preventing moisture ingress to polymeric insulators p245
Bradwell, A., and Wheeler, J.C.G. Developments in glass-fibre bridge and tunnel insulators for minimum clearances on British Railways p1
Bullough, R., and Bowes, S.R. see Bowes, S.R.

C

Cardwell, B.J., and Goodman, C.J. Response improvements in industrial DC drives derived from optimal analysis p91
Case, S.H., Hayes, A.M., McNeil, J.H., Morrison, R.E., and Riches, E.E. Electrification of Taiwan main-line railway from Keelung to Kaohsiung d226
Chalmers, B.J., and Saleh, A.M. Analyses of solid-rotor induction machines p15
Chappell, P.H., Davis, R.M., and Blake, R.J. Operating principles for hidden-link convertor drive p237
Chappell, P.H., Ray, W.F., and Blake, R.J. Microprocessor control of a variable reluctance motor p51
Clare, J., and Bowes, S.R. see Bowes, S.R.
Clark, A.D., and Morrison, R.E. see Morrison, R.E.
Crawshaw, G., and Avery, C.R. see Avery, C.R.
Creighton, G.K., and Mhango, L.M.C. see Mhango, L.M.C.

D

Davies, E.J., and Bowden, A.L. see Bowden, A.L.
Davis, R.M., Chappell, P.H., and Blake, R.J. see Chappell, P.H.
Davis, R.M., Ray, W.F., Lawrenson, P.J., Stephenson, J.M., Fulton, N.N., and Blake, R.J. see Ray, W.F.
de Fornel, B., Bach, J.L., Hapiot, J.C., and Pietrzak-David, M. Numerical speed control of a current-fed asynchronous machine by measurement of supply voltages p165

E

Elsonbaty, N.A., and Holmes, P.G. see Holmes, P.G.

F

Fock, A.Ah., and Hart, P.M. New method for measuring X_d and X_q based on the *P-Q* diagram of the lossy salient-pole machine p259
French, P.St.-J.R. Switched reluctance motor drives for rail traction: relative assessment p209
French, P.St.-J.R. Switched reluctance motor drives for rail traction: a second view p263
Fulton, N.N., Ray, W.F., Davis, R.M., Lawrenson, P.J., Stephenson, J.M., and Blake, R.J. see Ray, W.F.

G

Geysen, W., Belmans, R., Heylen, W., and Vandenput, A. see Belmans, R.
Goodman, C.J., Mellitt, B., and Mouneimne, Z.S. see Mellitt, B.
Goodman, C.J., and Cardwell, B.J. see Cardwell, B.J.
Gopakumar, K., Sathiakumar, S., Biswas, S.K., and Vithayathil, J. Modified current source inverter fed induction motor drive with reduced torque pulsations p159
Grant, D. Design of phase-change two-speed windings for induction motors, using pole-amplitude modulation techniques d232

H

Hapiot, J.C., de Fornel, B., Bach, J.L., and Pietrzak-David, M. see de Fornel, B.
Hart, P.M., and Fock, A.Ah. see Fock, A.Ah.
Hayes, A.M., Case, S.H., McNeil, J.H., Morrison, R.E., and Riches, E.E. see Case, S.H.
Heylen, W., Belmans, R., Vandenput, A., and Geysen, W. see Belmans, R.
Hirasa, T., Takeda, Y., and Morimoto, S. see Takeda, Y.
Holmes, P.G., and Elsonbaty, N.A. Cycloconvertor-excited divided-winding doubly-fed machine as a wind-power convertor p61

I

Ito, M.R., and Wong, F.S. see Wong, F.S.

K

Krichevsky, M., Rabinovici, R., and Sharir, B. Eddy-current starter for AC motors p13

L

Lawrenson, P.J., Ray, W.F., Davis, R.M., Stephenson, J.M., Fulton, N.N., and Blake, R.J. see Ray, W.F.
Lewis, R.B. Track-recording techniques used on British Rail p73

M

McNeil, J.H., Case, S.H., Hayes, A.M., Morrison, R.E., and Riches, E.E. see Case, S.H.
Mellitt, B., Allan, J., and Pong, M.H. see Allan, J.
Mellitt, B., Mouneimne, Z.S., and Goodman, C.J. Simulation study of DC transit systems with inverting substations p38
Mhango, L.M.C., and Creighton, G.K. Novel two-phase inverter-fed induction-motor drive p99
Morimoto, S., Takeda, Y., and Hirasa, T. see Takeda, Y.
Morrison, R.E., Case, S.H., Hayes, A.M., McNeil, J.H., and Riches, E.E. see Case, S.H.
Morrison, R.E., and Clark, A.D. Probabilistic representation of harmonic currents in AC traction systems p181
Mouneimne, Z.S., Mellitt, B., and Goodman, C.J. see Mellitt, B.

P

Pietrzak-David, M., de Fornel, B., Bach, J.L., and Hapiot, J.C. see de Fornel, B.
Pong, M.H., Allan, J., and Mellitt, B. see Allan, J.
Pu, F.W., and Tso, S.K. see Tso, S.K.

R

Rabinovici, R., Krichevsky, M., and Sharir, B. see Krichevsky, M.
Rajaraman, K.C. Design of phase change 2-speed windings for induction motors, using pole-amplitude modulation techniques d232
Ray, W.F., Chappell, P.H., and Blake, R.J. see Chappell, P.H.
Ray, W.F., Davis, R.M., Lawrenson, P.J., Stephenson, J.M., Fulton, N.N., and Blake, R.J. Switched reluctance motor drives for rail traction: a second view p220 d263
Riches, E.E., Case, S.H., Hayes, A.M., McNeil, J.H., and Morrison, R.E. see Case, S.H.
Rothman, M., and Suddards, A.D. Numerical and CAD techniques applied to overhead equipment for electric railways p170

S

Saleh, A.M., and Chalmers, B.J. see Chalmers, B.J.
Sathiakumar, S., Gopakumar, K., Biswas, S.K. and Vithayathil, J. see Gopakumar, K.
Sharir, B., Krichevsky, M., and Rabinovici, R. see Krichevsky, M.
Stephenson, J.M., Ray, W.F., Davis, R.M., Lawrenson, P.J., Fulton, N.N., and Blake, R.J. see Ray, W.F.
Suddards, A.D., and Rothman, M. see Rothman, M.

T

Takeda, Y., Morimoto, S., and Hirasa, T. Generalised analysis for steady-state characteristics of DC commutatorless motors e14
Tso, S.K., and Pu, F.W. Software realisation of synchronisation and firing control of thyristor convertors p141

V

Vandenput, A., Belmans, R., Heylen, W., and Geysen, W. see Belmans, R.
Vithayathil, J., Gopakumar, K., Sathiakumar, S., and Biswas, S.K. see Gopakumar, K.

W

Wahsh, S. Steady-state performance of PWM inverter drives d231
Wheeler, J.C.G., and Bradwell, A. see Bradwell, A.
Williams, B.W. Current-impulse-displacement thyristor commutation with controlled trapped energy p21
Williams, B.W. High-voltage high-frequency power-switching transistor module with switching-aid-circuit energy recovery p7
Wong, F.S., and Ito, M.R. Design and evaluation of the event-driven computer p209
Wong, T.M., and Binns, K.J. see Binns, K.J.

Contributors to discussions published in *IEE Proceedings Part B*

Calverley, H.B., **226**

Cle[illegible], C.J., **226**

Howroyd, D.C., **227**

Jones, C.R., **228**

Sandham, B., **226**

Satchwell, M.C.W., **227**

CHOPPERS

Rheostatic stabilisation of a chopper-controlled brake for traction drives. J. Allan, B. Mellitt and M.H. Pong p190

COMMUTATION

Current-impulse-displacement thyristor commutation with controlled trapped energy. B.W. Williams p21
Generalised analysis for steady-state characteristics of DC commutatorless motors. Y. Takeda, S. Morimoto and T. Hirasa e14

COMPUTER APPLICATIONS

Response improvements in industrial DC drives derived from optimal analysis. B.J. Cardwell and C.J. Goodman p91
Track-recording techniques used on British Rail. R.B. Lewis p73

COMPUTER-AIDED DESIGN

Analysis and performance of a high-field permanent-magnet synchronous machine. K.J. Binns and T.M. Wong p252
Fast modelling techniques for microprocessor-based optimal pulse-width-modulated control of current-fed inverter drives. S.R. Bowes and R. Bullough p149
Numerical and CAD techniques applied to overhead equipment for electric railways. M. Rothman and A.D. Suddards p170
PWM switching strategies for current-fed inverter drives. S.R. Bowes and R. Bullough p195
Steady-state performance of PWM inverter drives. S.R. Bowes and J. Clare d231
Steady-state performance of current-fed pulse-width-modulated inverter drives. S.R. Bowes and R. Bullough p113

CONTROL EQUIPMENT AND APPLICATIONS

Numerical speed control of a current-fed asynchronous machine by measurement of supply voltages. B. de Fornel, J.L. Bach, J.C. Hapiot and M. Pietrzak-David p165
Rheostatic stabilisation of a chopper-controlled brake for traction drives. J. Allan, B. Mellitt and M.H. Pong p190

CONTROL SYSTEMS

Fast modelling techniques for microprocessor-based optimal pulse-width-modulated control of current-fed inverter drives. S.R. Bowes and R. Bullough p149
Microprocessor control of a variable reluctance motor. P.H. Chappell, W.F. Ray and R.J. Blake p51
Software realisation of synchronisation and firing control of thyristor convertors. S.K. Tso and F.W. Pu p141

CONVERTORS

Cycloconvertor-excited divided-winding doubly-fed machine as a wind-power convertor. P.G. Holmes and N.A. Elsonbaty p61
Operating principles for hidden-link convertor drive. P.H. Chappell, R.M. Davis and R.J. Blake p237
Software realisation of synchronisation and firing control of thyristor convertors. S.K. Tso and F.W. Pu p141

DIGITAL COMPUTERS AND COMPUTATION

Design and evaluation of the event-driven computer. F.S. Wong and M.R. Ito p209

EDDY CURRENTS

Analytic separation of the factors contributing to the eddy-current loss in magnetically nonlinear steel. A.L. Bowden and E.J. Davies d37
Eddy-current starter for AC motors. M. Krichevsky, R. Rabinovici and B. Sharir p13

ELECTROMAGNETICS

Analytic separation of the factors contributing to the eddy-current loss in magnetically nonlinear steel. A.L. Bowden and E.J. Davies d37

INDUCTION MOTORS

Analyses of solid-rotor induction machines. B.J. Chalmers and A.M. Saleh p15
Approximate equivalent circuit for small solid-rotor induction motors. I.A.M. Abdel Halim p70
Design of phase-change two-speed windings for induction motors, using pole-amplitude modulation techniques. D. Grant d232
Eddy-current starter for AC motors. M. Krichevsky, R. Rabinovici and B. Sharir p13
Evaluation and comparison of two types of induction-motor drives. T.V. Avadhanlu p105
Influence of rotor-bar stiffness on the critical speed of an induction motor with an aluminium squirrel cage. R. Belmans, W. Heylen, A. Vandenput and W. Geysen p203
Modified current source inverter fed induction motor drive with reduced torque pulsations. K. Gopakumar, S. Sathiakumar, S.K. Biswas and J. Vithayathil p159
Novel two-phase inverter-fed induction-motor drive. L.M.C. Mhango and G.K. Creighton p99

INSULATORS AND INSULATION

Developments in glass-fibre bridge and tunnel insulators for minimum clearances on British Railways. A. Bradwell and J.C.G. Wheeler p1
Importance of preventing moisture ingress to polymeric insulators. A. Bradwell p245

INVERTERS

Fast modelling techniques for microprocessor-based optimal pulse-width-modulated control of current-fed inverter drives. S.R. Bowes and R. Bullough p149
Modified current source inverter fed induction motor drive with reduced torque pulsations. K. Gopakumar, S. Sathiakumar, S.K. Biswas and J. Vithayathil p159
Novel two-phase inverter-fed induction-motor drive. L.M.C. Mhango and G.K. Creighton p99
PWM switching strategies for current-fed inverter drives. S.R. Bowes and R. Bullough p195
Simulation study of DC transit systems with inverting substations. B. Mellitt, Z.S. Mouneimne and C.J. Goodman p38
Steady-state performance of PWM inverter drives. S.R. Bowes and J. Clare d231
Steady-state performance of current-fed pulse-width-modulated inverter drives. S.R. Bowes and R. Bullough p113

MAGNETIC DEVICES AND PROPERTIES

Eddy-current starter for AC motors. M. Krichevsky, R. Rabinovici and B. Sharir p13

MAGNETIC FIELDS

Analytic separation of the factors contributing to the eddy-current loss in magnetically nonlinear steel. A.L. Bowden and E.J. Davies d37

MICROPROCESSORS

Fast modelling techniques for microprocessor-based optimal pulse-width-modulated control of current-fed inverter drives. S.R. Bowes and R. Bullough p149
Microprocessor control of a variable reluctance motor. P.H. Chappell, W.F. Ray and R.J. Blake p51
Software realisation of synchronisation and firing control of thyristor convertors. S.K. Tso and F.W. Pu p141

MOTORS

Generalised analysis for steady-state characteristics of DC commutatorless motors. Y. Takeda, S. Morimoto and T. Hirasa e14
Numerical speed control of a current-fed asynchronous machine by measurement of supply voltages. B. de Fornel, J.L. Bach, J.C. Hapiot and M. Pietrzak-David p165
Operating principles for hidden-link convertor drive. P.H. Chappell, R.M. Davis and R.J. Blake p237

OPTIMAL CONTROL

Response improvements in industrial DC drives derived from optimal analysis. B.J. Cardwell and C.J. Goodman p91

POWER SYSTEMS AND PLANT

Simulation study of DC transit systems with inverting substations. B. Mellitt, Z.S. Mouneimne and C.J. Goodman p38

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Developments in glass-fibre bridge and tunnel insulators for minimum clearances on British Railways. A. Bradwell and J.C.G. Wheeler p1
Electrification of Taiwan main-line railway from Keelung to Kaohsiung. S.H. Case, A.M. Hayes, J.H. McNeil, R.E. Morrison and E.E. Riches d226
Importance of preventing moisture ingress to polymeric insulators. A. Bradwell p245
Numerical and CAD techniques applied to overhead equipment for electric railways. M. Rothman and A.D. Suddards p170
Probabilistic representation of harmonic currents in AC traction systems. R.E. Morrison and A.D. Clark p181
Remote control of traction power over two wires. C.R. Avery and G. Crawshaw p133
Rheostatic stabilisation of a chopper-controlled brake for traction drives. J. Allan, B. Mellitt and M.H. Pong p190
Simulation study of DC transit systems with inverting substations. B. Mellitt, Z.S. Mouneimne and C.J. Goodman p38
Switched reluctance motor drives for rail traction: relative assessment. P.St.-J.R. French p209
Track-recording techniques used on British Rail. R.B. Lewis p73

RELUCTANCE MOTORS

Microprocessor control of a variable reluctance motor. P.H. Chappell, W.F. Ray and R.J. Blake p51
New method for measuring X_d and X_q based on the P-Q diagram of the lossy salient-pole machine. A.Ah. Fock and P.M. Hart p259
Switched reluctance motor drives for rail traction: relative assessment. P.St.-J.R. French p209

SWITCHES AND SWITCHING THEORY

High-voltage high-frequency power-switching transistor module with switching-aid-circuit energy recovery. B.W. Williams p7

SYNCHRONOUS MOTORS

Analysis and performance of a high-field permanent-magnet synchronous machine. K.J. Binns and T.M. Wong p252
Influence of motor design and feed-current waveform on torque ripple in brushless DC drives. H.R. Bolton and R.A. Ashen p82
New method for measuring X_d and X_q based on the P-Q diagram of the lossy salient-pole machine. A.Ah. Fock and P.M. Hart p259

THYRISTORS

Current-impulse-displacement thyristor commutation with controlled trapped energy. B.W. Williams p21
Software realisation of synchronisation and firing control of thyristor converters. S.K. Tso and F.W. Pu p141

TRACTION

Probabilistic representation of harmonic currents in AC traction systems. R.E. Morrison and A.D. Clark p181
Rheostatic stabilisation of a chopper-controlled brake for traction drives. J. Allan, B. Mellitt and M.H. Pong p190
Switched reluctance motor drives for rail traction: a second view. W.F. Ray, R.M. Davis, P.J. Lawrenson, J.M. Stephenson, N.N. Fulton and R.J. Blake p220 d263

TRANSISTORS

High-voltage high-frequency power-switching transistor module with switching-aid-circuit energy recovery. B.W. Williams p7

WIND POWER

Cycloconvertor-excited divided-winding doubly-fed machine as a wind-power convertor. P.G. Holmes and N.A. Elsonbaty p61

Book reviews

Power electronics. F. Csáki, K. Ganszky, I. Ipsits and S. Marti p234

Conference publications

213 Electrical machines—design and applications p17
218 Electrical safety in hazardous environments p19